



Certificate of Conformity

- (1)
- (2) Equipment and protective systems intended for use in potentially explosive atmospheres – **Directive 2014/34/EU**
- (3) Certificate Number

EPS 11 ATEX 1 324 X

Revision 3

- (4) Equipment: Redundancy Module (built-in):
TSP-REM360 EX, TSP-REM600 EX, TSPC-DCM600
(Models can be additionally marked with xxxaaaa, where 'x' or 'a' can be any alphanumeric, blank or dash; no impact on safety)
- (5) Manufacturer: Traco Power Solutions Ltd.
- (6) Address: Whitemill Industrial Estate,
Whitemill Road Wexford, Y35 YH66,
Ireland
- (7) This equipment and any acceptable variation thereto are specified in the annex to this Certificate of Conformity and the documentation therein referred to.
- (8) Bureau Veritas Consumer Products Services Germany GmbH certifies based on a voluntary assessment that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II of the Directive 2014/34/EU. The examination and test results are recorded in the confidential documentation under the reference number 11TH0086.
- (9) Compliance with the essential health and safety requirements has been assured by compliance with:

EN IEC 60079-0:2018

EN 60079-7:2015 + A1:2018

EN 60079-15:2010

EN IEC 60079-15:2019

- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the annex to this certificate.
- (11) This Certificate of Conformity relates only to the design and the construction of the specified equipment in accordance with Directive 2014/34/EU. Further requirements of this Directive apply to the manufacture of this equipment and its placing on the market. Those requirements are not covered by this certificate.
- (12) The marking of the equipment shall include the following:



II 3G Ex ec IIC T4 Gc ¹⁾

II 3G Ex ec nC IIC T4 Gc ²⁾

¹⁾Model: TSPC-DCM600

²⁾Model: TSP-REM360 EX; TSP-REM600 EX

Certification department of explosion protection

Tuerkheim, 2022-05-12

Ulrich Feike

Certificates without signature and seal are void. This certificate is allowed to be distributed only if not modified. Extracts or modifications must be authorized by Bureau Veritas Consumer Products Services Germany GmbH.

(13)

Annex

(14) **Certificate of Conformity EPS 11 ATEX 1 324 X**

Revision 3

(15) Description of equipment:

The EUT is a power supply for built-in use (DIN rail).

Redundancy modules for configuration of high reliable power supply systems.

All devices are designed for installation in an enclosure providing protection against electrical, mechanical and fire hazards and are intended for general use such as in industrial control, process control, power distribution and instrumentation equipment.

Revision 3: Update to current version of standards used. Update of ExTR to current version. Change of type of protection from "nA" to "ec". Change of manufacturer's address. Minor editorial changes to manufacturer's documents. No tests performed.

Electrical data:

<p>TSP-REM360 EX Input: DC 24V Output: DC 24V 15A</p>	<p>TSP-REM600 EX Input: DC 24V Output: DC 24V 25A</p>	<p>TSPC-DCM600 Input: DC 24V Output: DC 24V 25A</p>
--	--	--

(16) Reference number: 11TH0086

(17) Special conditions for safe use:

- The equipment shall be installed in an enclosure that provides a minimum ingress protection of IP54 in accordance with EN IEC 60079-0 and EN IEC 60079-15.
- The equipment shall only be used in an area of not more than pollution degree 2, as defined in EN 60664-1.
- Special ambient temperature range: -25 °C to +70 °C
- Output power de-rating conditions at high ambient temperatures must be considered.
 - TSP-REM360 EX & TSP-REM600 EX: Derating is specified with 1,67%/°C above +40 °C ambient, up to max. +70 °C.
 - TSPC-DCM600: Derating is specified with 1,7%/°C above +40°C ambient, up to max. +70°C.

(18) Essential health and safety requirements:

Met by compliance with standards.

Certification department of explosion protection

Tuerkheim, 2022-05-12

