



Characteristic Curves

TMR 6-2410WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2411WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2419WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2412WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2413WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2415WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2421WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2422WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-2423WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4810WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4811WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4819WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4812WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4813WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4815WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4821WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4822WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote On/Off Voltage Start-Up Characteristic




TMR 6-4823WI


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic



Remote On/Off Voltage Start-Up Characteristic

