



Characteristic Curves

THD 15-2410WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2411WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2412WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2413WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2421WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2422WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-2423WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4810WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4811WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4812WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4813WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4821WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4822WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




THD 15-4823WIN


Efficiency vs Output Load




Power Dissipation vs Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise (with external capacitor; see datasheet)



Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic

