



Ref. Certif. No.

**DK-96018-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Switching power supply

Name and address of the applicant

TRACO ELECTRONIC AG  
SIHLBRUGGSTRASSE 111, CH-6340 BAAR, SWITZERLAND

Name and address of the manufacturer

TRACO ELECTRONIC AG  
SIHLBRUGGSTRASSE 111, CH-6340 BAAR, SWITZERLAND

Name and address of the factory



Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)

TRACO



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

TPI 100-XYbazzzzzzzz, TPI 125-XYbazzzzzzzz, TPI 150-XYbazzzzzzzz, TPP 100-XYbazzzzzzzz, TPP 150-XYbazzzzzzzz  
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

200302201 issued on 2020-04-20

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2020-04-20

Signature:

Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)



Model Details:

TPI 100-XYbazzzzzzzz,TPP 100-XYbazzzzzzzz (X can be 112, 115, 118, 124, 128, 136 or 148; Y can be A, U, D or blank; b can be -M, -J or blank; a can be -O, O or blank; z can be any alphanumeric or blank for marketing purpose only and no impact safety related critical components and constructions.)

TPI 125-XYbazzzzzzzz (X can be 112, 115, 118, 124, 128, 136 or 148; Y can be A, U, D or E; b can be -M, -J or blank; a can be -O, O or blank; z can be any alphanumeric or blank for marketing purpose only and no impact safety related critical components and constructions.)

TPI 150-XYbazzzzzzzz,TPP 150-XYbazzzzzzzz (X can be 105, 112, 115, 118, 124, 128, 136 or 148; Y can be A, U, D or blank; b can be -M, -J or blank; a can be -O, O or blank; z can be any alphanumeric or blank for marketing purpose only and no impact safety related critical components and constructions.)

Ratings:

Input Rating:

100-240Vac, 1.6A max., 50/60Hz for models TPI 100-XYbazzzzzzzz, TPP 100-XYbazzzzzzzz

100-240Vac, 1.8A max., 50/60Hz for models TPI 125-XYbazzzzzzzz

100-240Vac, 2.0A max., 50/60Hz for models TPI 150-XYbazzzzzzzz, TPP 150-XYbazzzzzzzz

O/P: See test report for details.

**Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA



UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK



UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN



UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-04-20

Signature:

Jan-Erik Storgaard