



Characteristic Curves

THB 6-1211


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-1212


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-1222


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-1223


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-2411


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-2412


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-2422


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-2423


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-4811


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-4812

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-4822


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




THB 6-4823


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature

