



Characteristic Curves

THD 10-1210N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-1211N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-1212N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-1213N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-1222N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-1223N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2410N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2411N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2412N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2413N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2422N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-2423N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4810N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4811N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4812N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4813N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4822N


Efficiency vs Output Load




Efficiency vs Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Ambient Temperature




THD 10-4823N


Efficiency vs Output Load




Efficiency vs Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Derating Output Load versus Ambient Temperature

