



Characteristic Curves

TEL 12-1211


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-1212


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-1213


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-1215


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-1222


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-1223


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2411


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2412


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2413


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2415


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2422


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-2423


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4811


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4812


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4813


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4815


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4822


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load




Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load




Derating Output versus Ambient Temperature




Characteristic Curves

TEL 12-4823


Efficiency versus Output Current




Efficiency versus Input Voltage




Typical Output Ripple and Noise at Full Load



Transient Response to Dynamic Load Change (25%)



Typical Input/Output Start-Up Characteristic at Full Load



Derating Output versus Ambient Temperature

