



Characteristic Curves

TEN 30-1210


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1211


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1212


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1213


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1221


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1222


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-1223


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2410


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2411


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2412


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2413


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2421


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2422


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-2423


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4810


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4811


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4812


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4813


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4821


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4822


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 30-4823


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic

