



## Characteristic Curves

### TEN 8-1210


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-1211


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-1212


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-1213


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic






### TEN 8-1221


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-1222


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-1223


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-2410


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic






### TEN 8-2411


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-2412


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-2413


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-2421


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic






### TEN 8-2422


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-2423


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-4810


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-4811


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic






### TEN 8-4812


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-4813


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-4821


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




### TEN 8-4822


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic






## TEN 8-4823


Efficiency vs Output Load




Power Dissipation versus Output Load




Efficiency vs Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic

