



Ref. Certif. No.

DK-124170-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

AC/DC Power Supply

Name and address of the applicant

TRACO ELECTRONIC AG
Sihlbruggstrasse 111 Baar, 6340
Switzerland

Name and address of the manufacturer

TRACO ELECTRONIC AG
Sihlbruggstrasse 111 Baar, 6340
Switzerland

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Input:
(1) for models "c"= A3 or blank.
100-240 VAC, 50/60 Hz, 3.0A MAX.
☒ Additional Information on page 2

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

TPI 180-abxycz1z1z1z1z1z1z1,
TPP 180-abxycz1z1z1z1z1z1z1
☒ Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to: EN 62368-1:2014, EN 62368-1:2014/A11:2017
National Difference specified in the CB Test Report.
☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

2112031-CB issued on 2022-01-25

This CB Test Certificate is issued by the National Certification Body



- ☐ UL (US) 333 Pfingsten Rd IL 60062 Northbrook USA
- ☒ UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-02-17

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-124170-UL

Additional Model Detail(s):

TPI 180-abxycz1z1z1z1z1z1z1,

TPP 180-abxycz1z1z1z1z1z1z1,

a can be 112, 115, 118, 124, 128, 136, 148 and 153.

b can be B or Blank.

x can be blank, DR, L or A.

y can be -M, -J or blank.

c can be A1, A2, A3, A4, A5 or blank.

z1 can be any alphanumeric character or "-" or blank, except for A1, A2, A3, A4 and A5.

Additional Ratings:

Input:

(1) for models "c"= A3 or blank.

100-240 VAC, 50/60 Hz, 3.0A MAX.

(2) for models "c"= A4 or A5.

100-240 VAC, 50/60 Hz or 120-370 VDC, 3.0A MAX.

(3) for models "c"= A1 or A2.

100-240 VAC, 50/60 Hz or 120-250 VDC, 3.0A MAX.

Output: Refer test report for details

Additional information (if necessary)



☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-02-17

Signature:

Jan-Erik Storgaard