



Characteristic Curves

TMR 2-2410WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2411WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2412WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2413WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2421WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2422WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-2423WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4810WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4811WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4812WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4813WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4821WI


Efficiency versus Output Load




Efficiency versus Input Voltage



Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4822WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




TMR 2-4823WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic



Derating Output Load versus Ambient Temperature

