Characteristic Curves

TEN 6-1210N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1211N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1212N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1213N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1215N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1221N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-1222N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic

Derating Output Load versus Ambient Temperature



TEN 6-1223N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic

Derating Output Load versus Ambient Temperature



TEN 6-2410N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2411N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2412N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic

Derating Output Load versus Ambient Temperature



TEN 6-2413N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2415N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2421N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2422N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-2423N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4810N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4811N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4812N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4813N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4815N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4821N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4822N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature



TEN 6-4823N

Efficiency versus Output Load



Efficiency versus Input Voltage



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature