



Characteristic Curves

THL 10-2410WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2411WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2412WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2413WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2415WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2421WI

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2422WI

Efficiency versus Output Load



Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-2423WI

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4810WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4811WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4812WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4813WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4815WI


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4821WI

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4822WI

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




THL 10-4823WI

Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Input Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic



Derating Output Load versus Ambient Temperature

