



### Characteristic Curves

#### TSR 0.5-2415


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2418


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2425


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2433


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2450


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2465


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-2490


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature




### TSR 0.5-24120


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)




Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic




Derating Output Load versus Ambient Temperature






### TSR 0.5-24150


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Remote on/off Voltage Start-Up Characteristic



Derating Output Load versus Ambient Temperature

